



NOTES

1. COMBINATION OF ANY 2 PHASE AND NEUTRAL REQUIRED FOR NETWORK SERVICE.
2. BONDING CONDUCTOR TO MAIN SERVICE DISCONNECT SIZED PER OESC.

04	AUG 2021	GENERAL UPDATES. CHANGED TO NEW DWG. & NUMBERING FORMAT. FOR PREVIOUS REVISION REFER TO RM7-15-0500.	GJ	PC	MS	MS	Drawn By: GA	Checked By:	Designed By:	Design Approved By:
03	DEC 2016	CHANGED TO NEW DWG. & NUMBERING FORMAT. FOR PREVIOUS REVISIONS REFER TO RM7-15-R2.	SO	PC	MM	RK	Scale: N.T.S.	Date: (yyyy/mm/dd)	Pole ID:	
Rev. No.	Date	Revision Particulars	dwn	ckd	des	app	Title: NETWORK SOCKET METER-BASE 120/208V, CWD 4W SERVICE			
							Drawing No. RM7-201-0500			
<small>© Copyright Hydro One Networks Inc. All rights reserved. This drawing may not be reproduced or copied, in whole or in part, in any printed, mechanical, electronic, film, or other distribution and storage media or used in any information storage or retrieval system outside of Hydro One Networks Inc., without the written consent of Hydro One Networks Inc.</small>							Rev. No. 04			
<small>Information contained in this drawing is considered to be confidential. Recipients shall only use the drawing for its intended purpose and shall take necessary measures to prevent disclosure or transmittal to outside parties.</small>										

TITLE BLOCK REV 02 - AUGUST 2014