

APPENDIX 6.3-A

Water Well Data



Table 6.3-A-1
Summary of MECP Water Well Records Within the Waasigan Groundwater LSA

Well ID	Well Depth (m)	Depth to Bedrock (m)	Static Water Level (m)	Date Well Completed	Water kind	Status of Well	Other Well Use	Other Well Use 2	Flowing Well
3100196	21	0	5.2	19/07/1965	FRESH	Water Supply	Domestic	-	N
3100197	27.4	2.7	3.7	23/07/1965	FRESH	Water Supply	Domestic	-	N
3100200	56.4	7.6	9.1	15/08/1962	FRESH	Water Supply	Domestic	-	N
3100201	26.5	2.7	14.3	04/05/1967	FRESH	Water Supply	Commerical	Domestic	N
3100221	6.1	0	3	15/08/1966	FRESH	Water Supply	Domestic	-	N
3100232	20.4	6.1	3	14/06/1962	FRESH	Water Supply	Domestic	-	N
3100233	12.2	0	0	11/04/1963	FRESH	Water Supply	Domestic	-	Y
3100234	33.5	4.9	3	07/09/1964	FRESH	Water Supply	Domestic	-	N
3100235	3	0	0	30/07/1965	Not stated	Abandoned-Supply	Not Used	-	-
3100236	15.8	0	6.4	03/10/1966	FRESH	Water Supply	Domestic	-	N
3100239	18.9	4.3	1.2	18/04/1964	FRESH	Water Supply	Domestic	-	N
3100285	51.8	22.6	8.2	05/07/1963	FRESH	Water Supply	Domestic	-	N
3100286	25.9	0	7.6	19/09/1962	FRESH	Water Supply	Domestic	-	N
3100305	32	10.7	6.1	18/06/1962	FRESH	Water Supply	Domestic	-	N
3100306	13.7	7.9	5.5	21/09/1965	FRESH	Water Supply	Domestic	-	N
3100307	25	11.6	7.3	30/09/1966	FRESH	Water Supply	Domestic	-	N
3100308	25	0	6.7	04/10/1966	FRESH	Water Supply	Domestic	-	N
3100389	41.8	4.3	10.4	14/06/1968	FRESH	Water Supply	Commerical	-	N
3100432	8.5	0	4.6	21/04/1969	FRESH	Water Supply	Domestic	-	N
3100437	4.3	0	0.6	31/08/1969	FRESH	Water Supply	Domestic	-	-
3100438	7.6	0	0.9	26/06/1969	FRESH	Water Supply	Domestic	-	-
3100466	26.5	4	3.7	01/08/1969	FRESH	Water Supply	Domestic	-	N
3100471	14	0	0	10/05/1969	-	Abandoned-Supply	-	-	-
3100482	1.8	0	0.3	09/05/1969	FRESH	Water Supply	Domestic	-	-
3100528	6.7	0	6.1	04/10/1970	FRESH	Water Supply	Livestock	-	N
3100541	60.7	0	10.7	04/08/1970	FRESH	Water Supply	Domestic	-	N
3100582	10.7	0	4.6	25/08/1971	FRESH	Water Supply	Commerical	-	N
3100583	7.6	0	1.8	17/07/1971	Not stated	Water Supply	Domestic	-	N
3100584	9.8	0	1.5	11/07/1971	Not stated	Water Supply	Domestic	-	N
3100585	9.1	0	3	10/07/1971	FRESH	Water Supply	Commerical	-	N
3100601	64	3	15.2	26/08/1971	FRESH	Water Supply	Domestic	-	N
3100602	33.5	7	5.5	21/07/1971	FRESH	Water Supply	Domestic	-	N
3100696	45.7	0	5.2	12/10/1971	FRESH	Water Supply	Domestic	-	N
3100720	32.3	0	12.2	28/10/1972	FRESH	Water Supply	Domestic	-	-
3100730	44.2	0	6.1	11/07/1972	FRESH	Water Supply	Domestic	-	N
3100850	24.4	0	4.6	08/06/1973	FRESH	Water Supply	Domestic	-	-
3100875	12.8	0	0	02/08/1973	FRESH	Water Supply	Domestic	-	-
3100878	11	0	0.6	28/07/1973	FRESH	Water Supply	Domestic	-	-
3100897	5.5	5.5	0	10/06/1974	FRESH	Water Supply	Domestic	-	-
3100901	7.3	0	0	03/09/1974	FRESH	Water Supply	Domestic	-	-
3100902	7.3	0	0	03/09/1974	FRESH	Water Supply	Domestic	-	-
3100905	13.4	0	7.3	03/09/1974	FRESH	Water Supply	Domestic	-	-
3100912	11	0	0	15/07/1974	FRESH	Water Supply	Domestic	-	-
3100921	7.3	0	0	10/09/1974	FRESH	Water Supply	Domestic	-	-
3100922	5.5	0	3	10/09/1974	FRESH	Water Supply	Domestic	-	-
3100943	72.8	8.5	7.3	01/03/1975	FRESH	Water Supply	Public	-	N
3100944	48.5	27.1	19.2	17/03/1975	FRESH	Water Supply	Public	-	N
3100945	48.2	16.5	7.9	06/04/1975	FRESH	Water Supply	Public	-	N
3100947	63.4	7	8.8	01/04/1975	FRESH	Water Supply	Public	-	N
3100963	14.3	0	2.4	10/04/1975	FRESH	Water Supply	Commerical	-	N
3100985	103.6	0	9.1	30/04/1974	FRESH	Water Supply	Domestic	-	-
3101036	30.5	1.2	6.4	02/12/1975	FRESH	Water Supply	Industrial	-	N
3101061	29.3	7.9	8.5	09/04/1976	FRESH	Water Supply	Domestic	-	N
3101063	23.5	0	3	29/04/1976	FRESH	Water Supply	Domestic	-	N
3101098	54.9	8.2	0	14/07/1975	FRESH	Water Supply	Domestic	-	-
3101129	82.9	0	12.8	10/12/1976	FRESH	Water Supply	Domestic	-	N
3101135	45.7	12.2	4.3	14/01/1977	FRESH	Water Supply	Domestic	-	N
3101136	31.7	8.5	4	28/01/1977	FRESH	Water Supply	Domestic	-	N
3101137	31.7	10.7	7.6	07/02/1977	FRESH	Water Supply	Domestic	-	N
3101147	17.7	0	7.9	16/04/1977	FRESH	Water Supply	Domestic	-	N
3101157	92.7	8.5	18.6	19/06/1977	FRESH	Water Supply	Industrial	Domestic	N
3101179	0	0	0	14/07/1975	-	-	-	-	-
3101181	0	0	0	16/07/1975	-	-	-	-	-
3101186	0	0	0	08/08/1975	-	-	-	-	-
3101251	0	0	0	08/09/1977	-	-	-	-	-
3101257	46	0	4	30/06/1977	FRESH	Water Supply	Domestic	-	N
3101268	0	0	0	17/06/1977	-	-	-	-	-
3101269	0	0	0	-	-	-	-	-	-
3101284	36.6	4.9	4.6	03/09/1977	FRESH	Water Supply	Domestic	-	N
3101296	39.9	0	15.8	09/12/1977	FRESH	Water Supply	Domestic	-	N
3101297	32.3	31.4	11	16/12/1977	FRESH	Water Supply	Domestic	-	N
3101310	0	0	0	-	-	-	-	-	-
3101331	0	0	0	11/06/1976	-	-	-	-	-
3101379	48.8	5.5	4.6	02/05/1977	FRESH	Water Supply	Domestic	-	N
3101380	36.6	6.4	3.7	18/05/1977	FRESH	Water Supply	Domestic	-	N
3101386	137.2	18.3	36.6	27/11/1977	FRESH	Water Supply	Domestic	-	-

Table 6.3-A-1
Summary of MECP Water Well Records Within the Waasigan Groundwater LSA

Well ID	Well Depth (m)	Depth to Bedrock (m)	Static Water Level (m)	Date Well Completed	Water kind	Status of Well	Other Well Use	Other Well Use 2	Flowing Well
3101388	61	6.1	6.4	16/03/1978	FRESH	Water Supply	Domestic	-	N
3101416	39.9	0	13.1	31/03/1978	FRESH	Water Supply	Domestic	-	N
3101426	97.5	11.9	9.1	08/06/1978	FRESH	Water Supply	Domestic	-	N
3101428	54.9	1.8	7.6	16/06/1978	FRESH	Water Supply	Domestic	-	N
3101446	49.1	0	9.1	30/05/1978	FRESH	Water Supply	Domestic	-	N
3101453	6.1	0	0	22/08/1978	FRESH	Water Supply	Domestic	-	-
3101456	22.9	0	15.8	05/09/1978	FRESH	Water Supply	Domestic	-	-
3101457	31.4	0	16.2	05/08/1978	FRESH	Water Supply	Domestic	-	N
3101481	38.1	36.3	7.6	26/11/1978	FRESH	Water Supply	Domestic	-	N
3101495	24.4	5.5	3.4	28/04/1977	FRESH	Water Supply	Domestic	-	N
3101496	36.6	3.7	5.5	27/04/1977	FRESH	Water Supply	Domestic	-	-
3101497	18.3	4.6	5.2	26/04/1977	FRESH	Water Supply	Domestic	-	N
3101507	13.4	0	3	10/09/1977	FRESH	Water Supply	Domestic	-	-
3101508	48.8	10.1	3.7	15/09/1977	FRESH	Water Supply	Domestic	-	N
3101514	15.2	0	4.6	01/12/1977	FRESH	Water Supply	Domestic	-	-
3101544	6.1	0	0	12/05/1978	-	Water Supply	Domestic	-	-
3101553	23.8	0	0	24/12/1979	FRESH	Water Supply	Domestic	-	-
3101563	56.4	28.3	9.1	15/11/1979	FRESH	Water Supply	Domestic	-	N
3101578	25.3	7.3	4.9	25/07/1979	FRESH	Water Supply	Domestic	-	-
3101590	25	10.1	3	27/08/1979	FRESH	Water Supply	Domestic	-	N
3101627	87.5	4	12.2	11/04/1979	FRESH	Water Supply	Domestic	-	N
3101629	25.3	0	6.1	27/07/1979	FRESH	Water Supply	Domestic	-	-
3101691	41.5	0	12.2	29/05/1981	FRESH	Water Supply	Domestic	-	N
3101693	30.8	0	0.9	23/04/1981	FRESH	Water Supply	Domestic	-	-
3101696	49.1	0	6.7	07/04/1981	FRESH	Water Supply	Domestic	-	N
3101706	38.7	0	4.6	05/09/1979	FRESH	Water Supply	Domestic	-	N
3101710	32.3	0	8.8	21/08/1981	FRESH	Water Supply	Domestic	-	N
3101711	34.1	0	0	15/04/1980	FRESH	Water Supply	Domestic	-	-
3101712	31.7	0	12.2	15/07/1980	FRESH	Water Supply	Domestic	-	N
3101720	34.7	0	7	16/07/1981	FRESH	Water Supply	Domestic	-	N
3101721	103.6	0	3	24/06/1981	FRESH	Water Supply	Domestic	-	N
3101741	48.5	0	-7.6	13/10/1981	-	Water Supply	Domestic	-	Y
3101745	67.1	0	0	02/10/1981	-	Water Supply	Domestic	-	N
3101768	37.8	0	9.1	11/02/1982	FRESH	Water Supply	Domestic	-	N
3101787	85.3	11	0	22/07/1981	FRESH	Water Supply	Domestic	-	N
3101797	32	8.8	5.5	09/09/1981	FRESH	Water Supply	Domestic	-	N
3101815	21.6	0	4.6	20/06/1982	FRESH	Water Supply	Domestic	-	N
3101819	46.3	0	9.4	24/04/1982	FRESH	Water Supply	Domestic	-	N
3101839	58.8	0	6.4	04/08/1982	FRESH	Water Supply	Domestic	-	N
3101850	50.9	0	1.2	04/08/1982	FRESH	Water Supply	Domestic	-	N
3101851	35.7	0	10.7	21/12/1982	FRESH	Water Supply	Domestic	-	N
3101892	31.1	21.6	2.4	05/09/1983	FRESH	Water Supply	Domestic	-	N
3101906	22.6	0	3	20/03/1983	FRESH	Water Supply	Domestic	-	N
3101962	35.7	0	6.7	30/07/1983	FRESH	Water Supply	Domestic	-	N
3101964	41.5	0	0	06/08/1983	FRESH	Abandoned-Supply	-	-	-
3101969	27.4	0	4	02/02/1984	FRESH	Water Supply	Domestic	-	N
3101971	39.6	0	9.1	09/01/1984	FRESH	Water Supply	Domestic	-	N
3101972	76.2	0	9.1	14/10/1983	FRESH	Water Supply	Domestic	-	N
3101974	8.8	8.8	0	03/06/1984	FRESH	Water Supply	Domestic	-	-
3102169	8.2	8.2	0.9	23/06/1986	FRESH	Water Supply	Commercial	-	N
3102175	39.3	4.9	7.6	08/11/1984	FRESH	Water Supply	Domestic	-	N
3102176	28	0	6.1	01/01/1984	FRESH	Water Supply	Domestic	-	N
3102179	12.8	0	1.2	02/06/1986	FRESH	Water Supply	Domestic	-	N
3102180	43.9	3.7	9.8	29/05/1986	FRESH	Water Supply	Domestic	-	N
3102186	7.9	7.9	2.1	16/07/1986	FRESH	Water Supply	Livestock	-	N
3102237	32	9.1	0	18/05/1985	FRESH	Water Supply	Domestic	-	N
3102245	26.2	4.6	18.3	29/03/1985	FRESH	Water Supply	Domestic	-	N
3102256	49.1	16.5	13.7	24/10/1985	FRESH	Water Supply	Domestic	-	N
3102336	45.1	5.2	6.4	04/06/1987	FRESH	Water Supply	Domestic	-	-
3102337	8.8	0	6.1	20/08/1987	FRESH	Water Supply	Domestic	-	N
3102358	7.9	0	3.7	09/09/1987	FRESH	Water Supply	Domestic	-	-
3102460	23.8	7	6.1	16/03/1988	FRESH	Water Supply	Domestic	-	N
3102467	17.4	0	0	03/06/1988	FRESH	Water Supply	Domestic	-	N
3102471	41.1	12.8	10.7	18/05/1988	FRESH	Water Supply	Domestic	-	N
3102474	59.1	2.4	0	25/05/1988	FRESH	Water Supply	Domestic	-	N
3102478	49.4	18.3	4.6	11/07/1988	FRESH	Water Supply	Domestic	-	N
3102485	70.4	8.5	7.6	10/06/1988	FRESH	Water Supply	Domestic	-	N
3102533	57.9	12.2	0	31/05/1988	FRESH	Water Supply	Domestic	-	N
3102603	5.5	5.5	2.7	08/09/1988	FRESH	Water Supply	Domestic	-	N
3102642	69.8	13.4	4.6	07/10/1988	FRESH	Water Supply	Domestic	-	N
3102650	21.6	0	13.7	03/03/1989	FRESH	Water Supply	Domestic	-	-
3102669	115.8	18	0	17/04/1989	FRESH	Water Supply	Domestic	-	N
3102720	3	0	1.2	15/07/1989	FRESH	Water Supply	Domestic	-	-
3102721	11.6	0	0	19/05/1989	FRESH	Water Supply	Domestic	-	-
3102733	88.7	0.6	0	11/08/1989	FRESH	Water Supply	Domestic	-	N
3102743	66.1	0	0	18/09/1989	FRESH	Water Supply	Domestic	-	N

Table 6.3-A-1
Summary of MECP Water Well Records Within the Waasigan Groundwater LSA

Well ID	Well Depth (m)	Depth to Bedrock (m)	Static Water Level (m)	Date Well Completed	Water kind	Status of Well	Other Well Use	Other Well Use 2	Flowing Well
3102755	43.3	9.8	0	11/10/1989	FRESH	Water Supply	Domestic	-	N
3102771	25.9	0	0	29/08/1989	FRESH	Water Supply	Domestic	-	N
3102794	89.9	5.5	6.1	09/11/1989	FRESH	Water Supply	Domestic	-	N
3102812	10.1	10.1	0.9	08/08/1989	FRESH	Water Supply	Domestic	-	N
3102826	80.8	5.2	3	26/09/1989	FRESH	Water Supply	Domestic	-	N
3102827	34.1	15.5	4.6	05/12/1989	FRESH	Water Supply	Domestic	-	N
3102834	79.2	8.8	5.5	19/01/1990	FRESH	Water Supply	Domestic	-	N
3102851	73.8	10.1	0.9	10/04/1990	FRESH	Water Supply	Domestic	-	N
3102984	86.9	13.1	0	12/11/1990	FRESH	Water Supply	Domestic	-	N
3102997	50.3	0	0	22/08/1990	FRESH	Water Supply	Not Used	-	N
3103048	70.7	0	0	05/06/1991	FRESH	Water Supply	Domestic	-	N
3103079	97.5	5.2	0	11/07/1991	FRESH	Water Supply	Domestic	-	N
3103099	97.5	4.6	0	06/09/1991	FRESH	Water Supply	Domestic	-	N
3103103	25	11.9	0	10/09/1991	FRESH	Water Supply	Domestic	-	N
3103135	28.3	0	4.6	15/10/1991	FRESH	Water Supply	Domestic	-	N
3103179	73.2	7.3	0.9	20/04/1992	FRESH	Water Supply	Domestic	-	N
3103354	27.7	0	21.3	14/10/1993	FRESH	Water Supply	Domestic	-	N
3103355	28.3	0	20.7	13/10/1993	FRESH	Water Supply	Domestic	-	N
3103413	76.2	2.4	4.6	03/06/1994	FRESH	Water Supply	Industrial	-	-
3103476	50.3	5.2	9.8	-	FRESH	Water Supply	Domestic	-	N
3103483	67.7	10.7	11.3	14/12/1994	FRESH	Water Supply	Domestic	-	N
3103500	37.2	4	0	28/06/1995	FRESH	Water Supply	Domestic	-	N
3103506	74.7	29.9	0.9	26/06/1995	FRESH	Water Supply	Domestic	-	N
3103540	26.8	0	0	24/08/1995	FRESH	Water Supply	Domestic	-	N
3103558	73.8	7.6	0	23/08/1995	FRESH	Water Supply	Domestic	-	N
3103568	80.8	1.8	0	08/09/1995	FRESH	Water Supply	Domestic	-	N
3103569	68.6	50.3	14.9	07/09/1995	FRESH	Water Supply	Domestic	-	N
3103570	74.7	9.4	0	24/08/1995	FRESH	Water Supply	Domestic	-	N
3103579	88.4	0.6	4.6	05/02/1996	FRESH	Water Supply	Domestic	-	N
3103625	80.8	17.7	1.5	25/05/1996	FRESH	Water Supply	Domestic	-	N
3104062	49.7	8.8	9.4	18/09/2000	FRESH	Water Supply	Domestic	Commerical	N
3104185	38.4	36.3	4	14/11/2001	FRESH	Water Supply	Domestic	-	N
3104228	74.7	37.2	2.4	10/07/2002	FRESH	Water Supply	Domestic	-	N
3104299	42.7	3.7	4.5	24/10/2001	FRESH	Water Supply	Domestic	-	-
3104357	74.7	4.6	3	27/07/2004	FRESH	Water Supply	Domestic	-	-
3104359	23.5	0	4.6	23/06/2004	-	Water Supply	Domestic	-	-
3104410	68.8	4	6	14/10/2004	FRESH	Water Supply	Domestic	-	-
3104587	68.6	10.1	10.4	06/06/2006	-	Water Supply	Domestic	-	-
3104594	74.7	11	6.4	15/06/2006	-	Water Supply	Domestic	-	-
5400331	61	18.3	3.7	22/08/1967	FRESH	Water Supply	Public	-	N
5400401	16.2	0.6	2.4	11/09/1969	FRESH	Water Supply	Domestic	-	N
5400542	25.3	0	0	28/12/1971	-	Abandoned-Supply	-	-	-
5400609	15.2	0.6	2.1	25/11/1972	FRESH	Water Supply	Domestic	-	N
5400614	17.7	0.6	2.1	24/11/1972	FRESH	Water Supply	Domestic	-	N
5400771	24.4	0	6.7	04/10/1973	FRESH	Water Supply	Commerical	Domestic	-
5400793	26.2	3	4.9	26/07/1975	FRESH	Water Supply	Public	-	N
5400893	91.4	0.9	6.1	16/05/1977	FRESH	Water Supply	Domestic	-	N
5400896	61.9	0	10.1	12/05/1977	FRESH	Water Supply	Domestic	-	-
5400897	49.4	4	2.4	18/05/1977	FRESH	Water Supply	Domestic	-	N
5401018	36.6	2.4	3	21/07/1978	FRESH	Water Supply	Domestic	-	-
5401019	31.1	1.2	7	24/07/1978	FRESH	Water Supply	Domestic	-	-
5401098	12.2	1.8	3	25/04/1978	FRESH	Water Supply	Domestic	-	N
5401101	21.3	3	3	29/08/1978	FRESH	Water Supply	Domestic	-	-
5401102	18.3	0	0.9	27/04/1978	FRESH	Water Supply	Domestic	-	N
5401276	76.8	0.6	2.1	07/06/1985	FRESH	Water Supply	Domestic	-	-
5401398	0	0	0	29/08/1988	-	-	-	-	-
5401401	43	0	5.2	01/09/1988	FRESH	Water Supply	Domestic	-	N
5401546	0	0	0	12/05/1990	-	-	-	-	-
5401547	0	0	0	12/05/1990	-	-	-	-	-
5401663	62.8	0.9	4.6	22/08/1991	FRESH	Water Supply	Domestic	-	N
5401685	38.1	12.2	0	20/05/1992	FRESH	Water Supply	Domestic	-	N
5401838	0	0	0	14/11/1995	-	-	-	-	-
5402287	0	0	9.6	19/07/2004	-	Abandoned-Other	-	-	-
5402288	0	0	0	19/07/2004	-	Abandoned-Other	-	-	-
5402290	68.6	22.3	7.3	03/06/2004	FRESH	Water Supply	Domestic	-	-
5402291	15.2	0.9	4.3	02/06/2004	FRESH	Water Supply	Domestic	-	-
6100036	75.6	3.7	10.7	08/08/1966	FRESH	Water Supply	Public	-	N
6100070	52.4	5.5	13.7	02/11/1964	FRESH	Water Supply	Public	-	N
6100071	15.8	7.9	0	05/11/1956	-	Test Hole	-	-	-
6100083	67.7	14.3	13.4	11/10/1966	FRESH	Water Supply	Domestic	-	N
6100092	19.5	0	13.1	04/09/1963	FRESH	Water Supply	Domestic	-	N
6100102	42.7	4.3	3.7	27/06/1967	FRESH	Water Supply	Public	-	N
6100133	11	5.8	1.5	17/08/1967	FRESH	Water Supply	Municipal	-	N
6100138	29.3	3	3	02/08/1965	FRESH	Water Supply	Domestic	-	N
6100141	27.4	0.6	0.6	19/09/1966	FRESH	Water Supply	Domestic	-	N
6100504	35.4	32.3	17.1	19/05/1967	FRESH	Water Supply	Domestic	-	N

Table 6.3-A-1
Summary of MECP Water Well Records Within the Waasigan Groundwater LSA

Well ID	Well Depth (m)	Depth to Bedrock (m)	Static Water Level (m)	Date Well Completed	Water kind	Status of Well	Other Well Use	Other Well Use 2	Flowing Well
6100505	20.4	20.1	0	10/11/1954	-	Abandoned-Supply	-	-	-
6100508	9.1	0	7.6	08/12/1954	FRESH	Water Supply	Public	-	N
6100509	27.7	6.7	6.1	11/12/1957	FRESH	Water Supply	Public	-	N
6100510	44.5	30.5	7.3	03/12/1958	FRESH	Water Supply	Public	-	N
6100516	24.4	1.5	6.1	29/09/1966	FRESH	Water Supply	Domestic	-	N
6100527	37.2	27.7	3.7	26/05/1958	FRESH	Water Supply	Municipal	-	N
6100537	48.8	17.4	10.7	17/11/1962	FRESH	Water Supply	Commerical	-	N
6100539	25	3	6.1	21/11/1962	FRESH	Water Supply	Domestic	-	N
6100581	21.9	1.5	12.2	20/04/1968	FRESH	Water Supply	Domestic	-	N
6100614	21.9	6.1	4	19/10/1968	FRESH	Water Supply	Domestic	-	N
6100629	21.6	0.6	5.8	12/10/1968	FRESH	Water Supply	Domestic	-	N
6100630	25.9	3.7	5.5	28/10/1968	FRESH	Water Supply	Domestic	-	N
6100631	10.7	4.6	0	31/10/1968	-	Abandoned-Supply	-	-	-
6100666	17.1	16.8	0	10/10/1969	-	Abandoned-Supply	-	-	-
6100682	34.1	6.4	2.7	05/11/1969	FRESH	Water Supply	Domestic	-	N
6100683	26.2	6.1	0	12/11/1969	FRESH	Water Supply	Domestic	-	Y
6100687	183.5	2.1	0	14/10/1969	-	Abandoned-Supply	-	-	-
6100735	45.7	2.4	9.1	30/07/1970	FRESH	Water Supply	Domestic	-	N
6100745	12.5	1.5	0	11/05/1970	FRESH	Water Supply	Domestic	-	-
6100822	37.8	4.9	6.7	26/06/1971	FRESH	Water Supply	Domestic	-	N
6100823	67.7	0.6	3.4	23/06/1971	-	Abandoned-Supply	-	-	-
6100854	9.1	3	3.7	27/09/1971	Not stated	Water Supply	Domestic	-	N
6100855	15.8	6.7	6.4	28/09/1971	FRESH	Water Supply	Domestic	-	N
6100861	15.2	2.7	3.7	01/10/1971	FRESH	Water Supply	Domestic	-	N
6100867	7.9	0	1.5	27/09/1971	FRESH	Water Supply	Domestic	-	N
6100909	9.1	4	1.2	13/06/1972	FRESH	Water Supply	Domestic	-	N
6100929	36.9	25	6.4	25/08/1972	FRESH	Water Supply	Domestic	-	N
6100931	31.7	3.7	4.3	25/08/1972	FRESH	Water Supply	Domestic	-	N
6100958	19.8	0	12.8	01/11/1972	FRESH	Water Supply	Domestic	-	N
6100969	11.6	0	3.7	14/11/1972	FRESH	Water Supply	Domestic	-	N
6100995	19.8	0.6	1.2	10/05/1973	FRESH	Water Supply	Domestic	-	N
6101015	16.2	0	12.2	30/06/1972	FRESH	Water Supply	Domestic	-	N
6101016	38.7	0	24.4	08/07/1972	FRESH	Water Supply	Domestic	-	N
6101019	43.3	0	3	25/09/1972	FRESH	Abandoned-Supply	-	-	N
6101024	43.9	0	0	14/12/1972	FRESH	Unfinished	-	-	-
6101025	8.2	4.3	3.7	22/02/1973	FRESH	Abandoned-Supply	-	-	N
6101054	91.4	5.8	4.9	14/06/1973	FRESH	Water Supply	Domestic	-	N
6101061	18.3	9.1	3	21/06/1973	FRESH	Water Supply	Domestic	-	-
6101126	13.7	1.8	3.7	20/12/1973	FRESH	Water Supply	Domestic	-	N
6101341	29.3	7.9	1.8	25/02/1975	FRESH	Water Supply	Domestic	-	N
6101370	99.1	2.1	4.3	06/05/1975	FRESH	Water Supply	Domestic	-	N
6101387	21.9	2.4	1.8	26/05/1975	FRESH	Water Supply	Domestic	-	N
6101415	7.6	0	0	01/07/1975	FRESH	Water Supply	Domestic	-	Y
6101500	39.3	11.3	3	03/11/1975	FRESH	Water Supply	Domestic	-	N
6101558	45.7	5.8	4.9	11/03/1976	Not stated	Water Supply	Not Used	Domestic	-
6101559	25.9	0	5.8	16/03/1976	FRESH	Water Supply	Domestic	-	N
6101654	30.5	7.6	0	17/08/1976	-	Abandoned-Supply	-	-	-
6101694	25	3.4	2.4	16/10/1976	FRESH	Water Supply	Domestic	-	N
6101697	19.2	1.2	3.7	27/10/1976	FRESH	Water Supply	Domestic	-	N
6101732	21.3	3	2.4	03/06/1975	FRESH	Water Supply	Domestic	-	N
6101746	39	11.9	3.7	26/07/1976	FRESH	Water Supply	Domestic	-	N
6101754	84.4	4.9	10.4	18/12/1976	FRESH	Water Supply	Domestic	-	N
6101768	9.4	0	3.4	15/09/1976	FRESH	Water Supply	Domestic	-	N
6101790	12.8	5.8	3.7	24/02/1977	Not stated	Water Supply	Industrial	-	N
6101804	24.4	3	0	23/04/1977	FRESH	Water Supply	Domestic	-	Y
6101811	36.6	1.5	6.7	16/03/1977	FRESH	Water Supply	Domestic	-	N
6101831	25.3	11.6	6.1	14/03/1977	FRESH	Water Supply	Domestic	-	N
6101844	53.3	1.8	6.1	30/05/1977	FRESH	Water Supply	Domestic	-	-
6101861	18	3.4	1.5	13/05/1977	FRESH	Water Supply	Domestic	-	N
6101864	15.8	0	3.4	26/06/1977	FRESH	Water Supply	Domestic	-	N
6101905	48.8	0	12.2	06/10/1975	FRESH	Water Supply	Domestic	-	N
6101906	10.7	0	0	07/10/1975	FRESH	Water Supply	-	-	-
6101924	22.9	0.6	4.6	19/07/1977	FRESH	Abandoned-Supply	-	-	-
6101987	56.4	27.7	5.8	07/10/1977	FRESH	Water Supply	Domestic	-	N
6102034	26.2	2.4	3.7	10/11/1977	FRESH	Water Supply	Municipal	Domestic	N
6102035	44.8	0	11.9	25/11/1977	FRESH	Water Supply	Domestic	-	N
6102104	46.3	1.5	3	17/06/1978	FRESH	Water Supply	Domestic	-	N
6102163	28	2.4	1.8	24/07/1978	FRESH	Water Supply	Domestic	-	N
6102168	35.1	4	7.6	11/05/1978	FRESH	Water Supply	Domestic	-	N
6102222	56.1	7.3	4.6	27/09/1978	FRESH	Water Supply	Domestic	-	-
6102231	7.6	0	3	28/07/1978	FRESH	Water Supply	Domestic	-	N
6102281	62.8	24.7	10.7	15/06/1979	FRESH	Water Supply	Domestic	-	-
6102289	91.4	1.5	12.2	02/07/1979	FRESH	Water Supply	Domestic	-	N
6102319	30.5	4	0.9	13/07/1979	FRESH	Water Supply	Domestic	-	N
6102325	22.9	3.7	1.5	14/07/1979	FRESH	Water Supply	Domestic	-	N
6102343	76.2	13.7	0	01/08/1979	FRESH	Water Supply	Domestic	-	N

Table 6.3-A-1
Summary of MECP Water Well Records Within the Waasigan Groundwater LSA

Well ID	Well Depth (m)	Depth to Bedrock (m)	Static Water Level (m)	Date Well Completed	Water kind	Status of Well	Other Well Use	Other Well Use 2	Flowing Well
6102392	35.4	34.1	2.7	23/08/1979	FRESH	Water Supply	Domestic	-	N
6102393	30.5	4.6	0	24/08/1979	FRESH	Water Supply	Domestic	-	-
6102417	77.4	9.8	9.1	27/08/1979	FRESH	Water Supply	Domestic	-	N
6102502	86.9	1.2	6.4	17/09/1979	FRESH	Water Supply	Domestic	-	N
6102504	73.2	9.4	8.2	19/08/1978	FRESH	Water Supply	Domestic	-	N
6102515	73.2	16.8	0	08/06/1980	FRESH	Water Supply	Domestic	-	N
6102572	61	15.2	13.7	19/07/1980	FRESH	Water Supply	Domestic	-	N
6102612	43.3	6.7	0	20/10/1980	-	Unfinished	Domestic	-	-
6102618	54.9	0	0	18/10/1980	FRESH	Water Supply	Domestic	-	N
6102675	12.8	0	6.7	21/11/1980	FRESH	Water Supply	Domestic	-	N
6102676	31.4	2.4	3	30/10/1980	FRESH	Water Supply	Domestic	-	N
6102698	55.2	54.9	0	19/05/1981	FRESH	Water Supply	Domestic	-	N
6102703	39.9	0	6.1	15/04/1981	FRESH	Water Supply	Domestic	-	N
6102728	48.8	3.7	0	23/09/1981	-	Water Supply	Domestic	-	-
6102830	30.5	1.5	4.3	15/07/1980	FRESH	Water Supply	Domestic	-	N
6102867	61	6.1	5.2	30/04/1981	FRESH	Water Supply	Domestic	-	N
6102868	61	6.1	5.2	30/04/1981	FRESH	Water Supply	Domestic	-	N
6102869	61	3	3	27/10/1981	Not stated	Water Supply	Domestic	-	N
6102892	42.7	7	5.5	14/11/1981	FRESH	Water Supply	Domestic	-	-
6102914	42.7	1.2	7.6	25/05/1982	FRESH	Water Supply	Domestic	-	N
6102915	38.1	18.3	0.9	05/05/1982	FRESH	Water Supply	Domestic	-	N
6102928	38.1	4	9.1	23/07/1982	FRESH	Water Supply	Domestic	-	N
6102933	10.7	2.1	1.8	16/07/1982	FRESH	Water Supply	Domestic	-	N
6102952	51.8	2.1	7.6	09/08/1982	-	Water Supply	Domestic	-	N
6102986	46.3	7.6	0	24/09/1982	FRESH	Water Supply	Domestic	-	N
6103013	91.4	0.9	0	10/09/1982	FRESH	Water Supply	Domestic	-	-
6103031	28.3	5.8	3.7	27/10/1982	FRESH	Water Supply	Domestic	-	N
6103127	61.6	10.7	0	14/09/1983	FRESH	Water Supply	Domestic	-	N
6103148	57.9	3	3	02/10/1983	FRESH	Water Supply	Domestic	-	N
6103178	39.6	6.7	8.2	09/06/1984	FRESH	Water Supply	Domestic	-	N
6103268	61	0.9	0.9	22/11/1984	FRESH	Water Supply	Domestic	-	N
6103304	46.6	44.8	3.7	08/04/1985	FRESH	Water Supply	Domestic	-	-
6103308	23.5	0.6	0.6	21/06/1985	FRESH	Water Supply	Domestic	-	-
6103317	46.3	3	5.2	30/03/1985	FRESH	Water Supply	Domestic	-	-
6103339	13.4	0.6	3	02/05/1985	FRESH	Water Supply	Domestic	-	N
6103364	69.2	5.2	0	02/11/1985	FRESH	Water Supply	Domestic	-	N
6103378	50.3	3.7	0	12/11/1985	FRESH	Water Supply	Domestic	-	-
6103379	18.3	3	0	15/11/1985	FRESH	Water Supply	Domestic	-	-
6103381	32	2.1	4.9	29/07/1985	FRESH	Water Supply	Domestic	-	N
6103490	19.2	13.4	8.2	21/07/1986	FRESH	Water Supply	Commerical	-	N
6103563	29.9	4	0	20/11/1986	FRESH	-	-	-	-
6103608	56.4	21.3	13.7	23/03/1987	FRESH	Water Supply	Domestic	-	N
6103609	56.4	7.3	13.7	30/03/1987	FRESH	Water Supply	Domestic	-	N
6103610	93	9.4	13.7	20/03/1987	FRESH	Water Supply	Domestic	-	-
6103641	33.5	18.3	1.8	29/04/1987	SALTY	Water Supply	Domestic	-	-
6103661	23.8	14	0	22/06/1987	FRESH	Water Supply	Domestic	-	-
6103662	31.7	3	3	19/06/1987	FRESH	Water Supply	Domestic	-	N
6103723	42.7	33.5	2.4	23/08/1987	-	Water Supply	Domestic	-	-
6103733	92	44.2	0	18/08/1987	FRESH	Water Supply	Domestic	-	N
6103744	46.3	3	0	15/09/1987	FRESH	Water Supply	Domestic	-	N
6103765	32	5.5	6.1	04/09/1987	FRESH	Water Supply	Domestic	-	N
6103776	76.8	3.4	6.7	26/07/1987	FRESH	Water Supply	Domestic	-	-
6103853	26.5	4.9	0	29/02/1988	FRESH	Water Supply	Domestic	-	N
6103861	39	2.4	12.2	21/03/1988	FRESH	Water Supply	Domestic	-	N
6103888	51.8	3.7	2.4	22/04/1988	FRESH	Water Supply	Domestic	-	N
6104042	78	0.3	0	01/08/1988	-	Water Supply	Domestic	-	-
6104076	84.1	3.7	0	28/06/1988	FRESH	Water Supply	Domestic	-	N
6104091	64	0	9.1	23/11/1988	FRESH	Water Supply	Domestic	-	N
6104127	45.1	6.4	0	26/01/1989	FRESH	Water Supply	Domestic	-	N
6104146	62.5	0.3	0	15/05/1989	FRESH	Water Supply	Domestic	-	N
6104165	32.6	1.8	3.7	10/07/1989	FRESH	Water Supply	Domestic	-	N
6104168	70.1	0.9	4	07/07/1989	FRESH	Water Supply	Domestic	-	N
6104196	46.3	11.6	4.9	04/09/1989	FRESH	Water Supply	Domestic	-	N
6104206	45.1	0	0	14/08/1989	FRESH	Water Supply	Domestic	-	N
6104211	32.6	11.6	4.9	03/08/1989	FRESH	Water Supply	Domestic	-	N
6104212	51.8	2.1	0	25/08/1987	FRESH	Water Supply	Domestic	-	N
6104228	65.2	3.7	7.6	27/09/1989	FRESH	Water Supply	Domestic	-	N
6104363	42.1	4.6	9.1	16/05/1990	FRESH	Water Supply	Domestic	-	N
6104367	98.8	7	4.9	09/05/1990	Not stated	Water Supply	Domestic	-	N
6104401	114.3	2.4	3.7	17/04/1990	FRESH	Water Supply	Domestic	-	N
6104470	114.3	2.4	3.7	17/04/1990	FRESH	Water Supply	Domestic	-	N
6104472	64.9	11	12.2	02/08/1990	FRESH	Water Supply	Domestic	-	N
6104747	89.3	1.8	16.8	27/11/1991	FRESH	Water Supply	Domestic	-	N
6104753	71	0.6	1.2	25/06/1991	FRESH	Water Supply	Domestic	-	N
6104817	38.1	34.7	0	28/06/1992	FRESH	Water Supply	Domestic	-	N
6104856	42.7	2.1	3	12/06/1992	FRESH	Water Supply	Domestic	-	N

Table 6.3-A-1
Summary of MECP Water Well Records Within the Waasigan Groundwater LSA

Well ID	Well Depth (m)	Depth to Bedrock (m)	Static Water Level (m)	Date Well Completed	Water kind	Status of Well	Other Well Use	Other Well Use 2	Flowing Well
6104888	77.1	2.4	5.5	01/08/1992	FRESH	Water Supply	Domestic	-	N
6104905	38.7	4.9	0	22/07/1992	FRESH	Water Supply	Domestic	-	N
6104906	38.7	9.4	6.1	23/07/1992	FRESH	Water Supply	Domestic	-	-
6104907	13.4	0	4.9	21/07/1992	FRESH	Water Supply	Domestic	-	N
6104986	45.1	0.6	3.4	10/05/1993	FRESH	Water Supply	Domestic	-	N
6105000	82.9	4.6	5.5	19/05/1993	-	-	-	-	N
6105017	83.2	7	4.6	15/06/1993	FRESH	Water Supply	Domestic	-	N
6105040	45.7	17.1	3	02/07/1993	FRESH	Water Supply	Domestic	-	N
6105042	58.8	10.1	8.5	05/06/1993	FRESH	Water Supply	Domestic	-	N
6105057	39	1.8	4.9	12/08/1993	FRESH	Water Supply	Domestic	-	N
6105086	30.5	0.6	4.6	10/08/1993	FRESH	Water Supply	Domestic	-	N
6105107	92	15.8	0	23/06/1993	FRESH	Water Supply	Domestic	Commerical	-
6105156	61.6	1.5	6.4	06/10/1993	FRESH	Water Supply	Domestic	-	N
6105198	6.4	0	5.5	19/03/1994	FRESH	Water Supply	Domestic	-	N
6105217	20.4	1.5	5.2	28/04/1994	FRESH	Water Supply	Domestic	-	-
6105244	77.1	1.5	0	09/06/1994	FRESH	Water Supply	Domestic	-	N
6105245	59.4	1.5	0	03/06/1994	FRESH	Water Supply	Domestic	-	N
6105254	77.1	0.6	1.2	10/06/1994	FRESH	Water Supply	Domestic	-	N
6105348	64.9	5.5	3	08/11/1994	Not stated	Water Supply	Domestic	-	N
6105357	57.9	2.4	4.6	23/11/1994	FRESH	Water Supply	Domestic	-	N
6105398	6.1	2.4	1.5	03/10/1994	FRESH	Water Supply	Domestic	-	N
6105501	92	2.4	2.4	13/04/1995	FRESH	Water Supply	Domestic	-	N
6105514	64	2.4	6.1	25/06/1995	FRESH	Water Supply	Domestic	-	N
6105528	58.8	2.1	6.1	08/07/1995	FRESH	Water Supply	Domestic	-	N
6105544	25.9	0	5.5	04/09/1995	FRESH	Water Supply	Domestic	-	N
6105545	44.2	0	5.5	-	-	Water Supply	Domestic	-	N
6105601	82.9	3	64	14/10/1995	FRESH	Water Supply	Domestic	-	-
6105602	45.7	4.6	2.4	11/10/1995	FRESH	Water Supply	Domestic	-	N
6105685	91.4	0	0	30/07/1996	FRESH	Water Supply	Domestic	-	N
6105733	59.4	1.8	7.3	29/10/1996	FRESH	Water Supply	Domestic	-	N
6105743	30.5	10.7	3.4	20/09/1996	FRESH	Water Supply	Domestic	-	-
6105757	26.2	0	0	02/11/1996	FRESH	Water Supply	Domestic	-	N
6105798	30.5	27.1	10.1	29/05/1997	FRESH	Water Supply	Domestic	-	-
6105812	24.4	0	17.4	30/05/1997	FRESH	Water Supply	Domestic	-	-
6105886	33.2	1.5	7.3	22/06/1997	FRESH	Water Supply	Domestic	-	-
6105946	76.8	4.3	3.7	28/08/1997	FRESH	Water Supply	Domestic	-	-
6105966	15.2	1.2	3.7	02/10/1997	FRESH	Water Supply	Domestic	-	-
6105989	26.5	26.5	9.1	29/08/1997	FRESH	Water Supply	Domestic	-	-
6106073	36	0	4.6	07/01/1998	FRESH	Water Supply	Domestic	-	N
6106075	18.9	8.8	1.5	19/03/1998	FRESH	Water Supply	Domestic	-	N
6106130	57.9	1.2	2.4	15/06/1998	FRESH	Water Supply	Domestic	-	N
6106156	7.9	6.4	3.4	28/05/1998	FRESH	Water Supply	Domestic	-	N
6106178	0	0	0	29/07/1998	-	Water Supply	Domestic	-	-
6106228	31.4	5.5	8.5	26/08/1998	FRESH	Water Supply	Domestic	-	N
6106252	47.9	3	1.8	17/08/1998	FRESH	Water Supply	Domestic	-	N
6106257	36.3	20.7	0	09/10/1998	FRESH	Water Supply	Domestic	-	N
6106375	86	4.9	0	22/05/1999	FRESH	Water Supply	Domestic	-	-
6106393	31.1	0.6	5.5	19/07/1999	FRESH	Water Supply	Commerical	-	N
6106541	30.5	0	3	25/04/2000	FRESH	Water Supply	Domestic	-	N
6106595	23.2	22.6	15.5	21/10/2000	FRESH	Water Supply	Domestic	-	N
6106747	68.6	0	9.1	24/09/2001	FRESH	Water Supply	Domestic	-	N
6106824	61	30.5	3	20/05/2002	-	Water Supply	Domestic	-	-
6106893	67.1	3	15.2	29/06/2002	FRESH	Water Supply	Domestic	-	N
6106951	46.3	2.7	5.5	11/01/2003	FRESH	Water Supply	Domestic	-	N
6107290	42	7.9	2	20/03/2004	FRESH	Water Supply	Domestic	-	-
6107365	71	4.9	4	03/11/2004	FRESH	Water Supply	Domestic	-	-
6107371	44.2	7	3	05/12/2004	-	Water Supply	Domestic	-	-
6107372	7	0	1.5	08/07/2005	FRESH	Water Supply	Domestic	-	-
6107383	22.6	0	10.1	15/06/2005	-	Water Supply	Domestic	-	-
6107387	49	0	39	15/06/2005	-	Water Supply	Domestic	-	-
6107432	26.2	0	0	04/06/2005	FRESH	Water Supply	Public	-	-
6107479	36.6	1.8	0	16/12/2005	FRESH	Water Supply	Domestic	-	-
6107486	4.2	0	0	04/01/2006	FRESH	Observation Wells	Not Used	-	-
6107559	252	6.1	0	13/12/2005	FRESH	Water Supply	Domestic	-	-
6107584	0	0	0	28/08/2006	-	Abandoned-Other	-	-	-
6107586	67.1	3.7	7.3	09/06/2006	-	Water Supply	Domestic	-	-
6107610	10	4.9	0	30/10/2006	-	Observation Wells	Not Used	-	-
7041731	68.6	5.2	7.6	23/10/2006	FRESH	Water Supply	Domestic	-	-
7042182	38.7	11.6	0	24/01/2007	-	Water Supply	Domestic	-	-
7042185	127	15.8	0	29/12/2006	-	Water Supply	Domestic	-	-
7042188	76.8	11	0	05/07/2006	FRESH	Water Supply	Domestic	-	-
7047058	36.6	0	4.9	02/12/2006	FRESH	Water Supply	Domestic	-	N
7051258	24.4	0	0	-	FRESH	Water Supply	Domestic	-	-
7051499	50.3	0	9.8	07/09/2007	FRESH	Water Supply	Domestic	-	-
7052838	80.8	0	2.4	14/11/2007	FRESH	Water Supply	Domestic	-	-
7102070	13.1	0	0	14/08/2007	-	Observation Wells	Other	-	-

Table 6.3-A-1
Summary of MECP Water Well Records Within the Waasigan Groundwater LSA

Well ID	Well Depth (m)	Depth to Bedrock (m)	Static Water Level (m)	Date Well Completed	Water kind	Status of Well	Other Well Use	Other Well Use 2	Flowing Well
7102788	12.8	0	2.1	11/08/2007	FRESH	Water Supply	Domestic	-	N
7106558	23.1	0	0.6	23/04/2008	FRESH	Test Hole	Monitoring	-	-
7107840	31.1	0	0	03/06/2008	-	Water Supply	-	-	-
7108052	69.2	0	0	28/02/2007	FRESH	Water Supply	Domestic	-	-
7110859	71	0	2.4	17/06/2008	Not stated	Water Supply	Public	Domestic	N
7110860	50.3	0	0	18/06/2008	FRESH	Water Supply	Domestic	-	N
7112673	24.4	0	4	23/09/2008	FRESH	Water Supply	Domestic	-	-
7113576	44.2	0	6.1	17/06/2008	FRESH	Water Supply	Domestic	-	N
7113579	74.7	0	15.2	02/07/2008	FRESH	Water Supply	Domestic	-	N
7113586	0	0	0	30/09/2008	-	Abandoned-Other	-	-	-
7113652	4	0	1.5	18/07/2008	-	Observation Wells	Monitoring	-	-
7115452	38	0	3	15/11/2008	FRESH	Water Supply	Domestic	-	-
7116964	38.1	0	8.2	22/11/2008	FRESH	Water Supply	Domestic	-	-
7120795	8.8	0	0.6	05/12/2008	Not stated	Water Supply	Domestic	-	-
7122560	43.6	0	13.7	19/04/2009	FRESH	Water Supply	Domestic	-	-
7133359	13.7	0	3	11/08/2009	FRESH	Water Supply	Public	-	-
7133962	4.4	0	1.6	05/10/2009	FRESH	Test Hole	Monitoring	-	-
7141557	18.5	0	0	01/02/2010	FRESH	Observation Wells	Monitoring	-	-
7145049	38.1	0	3	06/11/2009	FRESH	Water Supply	Domestic	-	-
7151028	80.8	0	8.5	25/08/2010	FRESH	Water Supply	Domestic	-	N
7151670	31.1	0	0	10/08/2010	FRESH	Water Supply	-	-	N
7155389	56.4	0	4.3	08/10/2010	FRESH	-	-	-	N
7159938	18.3	0	6.1	30/12/2010	FRESH	Water Supply	Domestic	-	-
7160105	0	0	0	07/12/2010	-	-	-	-	-
7161856	44.2	0	18.3	30/01/2010	FRESH	Water Supply	Domestic	-	-
7163615	0	0	0	04/03/2011	-	-	-	-	-
7166082	0	0	0	13/05/2011	-	-	-	-	-
7168590	15.3	0	0	31/08/2011	FRESH	Test Hole	Monitoring	-	-
7168592	15.7	0	0	25/08/2011	FRESH	Test Hole	Monitoring	-	-
7178355	74.7	0	9.1	27/04/2011	-	Water Supply	Domestic	-	N
7178380	17.7	0	9.8	30/09/2011	-	Water Supply	Domestic	-	N
7178396	83.8	0	4.3	17/08/2011	FRESH	Water Supply	Domestic	-	N
7179079	0	0	0	18/11/2011	-	-	-	-	-
7179080	5.2	0	0	24/11/2011	FRESH	Observation Wells	Monitoring	-	-
7183077	67	0	10	18/06/2012	FRESH	Water Supply	Domestic	-	-
7184294	68.6	0	9.4	09/05/2012	-	Water Supply	Domestic	-	N
7188839	0	0	0	26/06/2012	-	-	-	-	-
7189000	0	0	0	12/07/2012	-	-	-	-	-
7189154	19.8	0	0	03/08/2012	FRESH	Water Supply	-	-	N
7189166	48.2	0	17.1	28/06/2012	FRESH	Water Supply	Domestic	-	N
7190291	0	0	0	18/09/2012	-	-	-	-	-
7190292	0	0	0	17/09/2012	-	-	-	-	-
7190293	0	0	0	17/09/2012	-	-	-	-	-
7190294	0	0	0	17/09/2012	-	-	-	-	-
7191209	0	0	0	21/09/2012	-	-	-	-	-
7199787	23.5	0	0	14/11/2012	FRESH	Water Supply	Domestic	-	-
7200079	67.1	0	9.4	30/05/2012	FRESH	Water Supply	-	-	-
7200253	74.7	0	9.4	01/11/2012	-	Water Supply	-	-	-
7204581	53.9	0	0	05/06/2013	-	Water Supply	-	-	-
7206822	9.1	0	0.6	14/08/2013	FRESH	Water Supply	Domestic	-	-
7209152	56.4	0	12.2	18/09/2013	FRESH	Water Supply	Domestic	-	N
7213013	0	0	0	17/05/2013	-	-	-	-	-
7216490	76.8	0	2	-	-	Water Supply	Domestic	-	-
7216492	76.8	0	10.1	06/11/2013	-	Water Supply	Domestic	-	-
7225268	32	0	5.7	18/07/2014	FRESH	Water Supply	Domestic	-	-
7228789	93	0	-0.6	26/09/2014	FRESH	Water Supply	Domestic	-	-
7230351	0	0	0	16/06/2014	-	-	-	-	-
7233897	6.1	0	0	18/11/2014	-	Observation Wells	Monitoring	-	-
7234437	5.3	0	0	17/12/2014	FRESH	Test Hole	-	-	-
7234438	5.3	0	0	16/12/2014	FRESH	Test Hole	Monitoring	-	-
7234439	3.8	0	0	17/12/2014	-	Test Hole	Monitoring	-	-
7240527	76.2	0	0.9	20/04/2015	-	Water Supply	Domestic	-	-
7240672	69.2	0	12.6	27/08/2014	FRESH	Water Supply	Domestic	-	-
7240679	76.8	0	-0.6	20/06/2014	-	Water Supply	Domestic	-	-
7240682	38.7	0	5	30/09/2014	FRESH	Water Supply	Domestic	-	-
7244111	0	0	0	17/06/2015	-	-	-	-	-
7244122	0	0	0	01/06/2015	FRESH	Water Supply	Domestic	-	N
7244222	74.7	0	0	19/06/2015	-	Water Supply	Domestic	-	N
7244300	0	0	0	-	-	-	-	-	-
7244301	0	0	0	-	-	-	-	-	-
7244302	0	0	0	-	-	-	-	-	-
7244786	25.9	0	0	14/07/2015	FRESH	Water Supply	Domestic	-	-
7247925	5.2	0	0	28/07/2015	-	Observation Wells	Monitoring	-	-
7249005	7.6	0	0	07/11/2014	-	Observation Wells	Monitoring	-	-
7254379	0	0	0	23/09/2015	-	-	-	-	-
7254675	57	0	11.5	07/12/2015	Untested	Water Supply	Public	-	-

Table 6.3-A-1
Summary of MECP Water Well Records Within the Waasigan Groundwater LSA

Well ID	Well Depth (m)	Depth to Bedrock (m)	Static Water Level (m)	Date Well Completed	Water kind	Status of Well	Other Well Use	Other Well Use 2	Flowing Well
7258102	7.5	0	0	06/10/2015	-	Observation Wells	Monitoring	-	-
7258103	7.6	0	0	06/10/2015	-	Observation Wells	Monitoring	-	-
7258104	6.7	0	0	06/10/2015	-	Observation Wells	Monitoring	-	-
7258105	6.1	0	0	06/10/2015	-	Observation Wells	Monitoring	-	-
7258106	5.2	0	0	06/10/2015	-	Observation Wells	Monitoring	-	-
7258107	5.2	0	0	06/10/2015	-	Observation Wells	Monitoring	-	-
7258108	5.2	0	0	06/10/2015	-	Observation Wells	Monitoring	-	-
7258109	5.8	0	0	06/10/2015	-	Observation Wells	Monitoring	-	-
7265482	63.4	0	8.1	24/06/2016	Untested	Water Supply	Domestic	-	N
7266920	0	0	0	24/05/2016	-	Alteration	-	-	-
7273663	38.1	0	6.4	12/10/2016	FRESH	Water Supply	Domestic	-	N
7274948	32	0	4.7	03/11/2016	FRESH	Water Supply	Domestic	-	-
7278540	25	0	9.1	18/12/2015	Untested	Water Supply	Domestic	-	N
7279537	4.7	0	0	18/10/2016	Untested	Observation Wells	Monitoring	-	-
7279538	6.1	0	0	18/10/2016	Untested	Observation Wells	Monitoring	-	-
7279539	3.7	0	0	18/10/2016	Untested	Observation Wells	Monitoring	-	-
7279540	3	0	0	18/10/2016	Untested	Observation Wells	Monitoring	-	-
7279541	4.9	0	0	18/10/2016	Untested	Observation Wells	Monitoring	-	-
7285274	9.8	0	0	09/03/2017	Untested	Observation Wells	Test Hole	Monitoring	-
7285275	3	0	0	09/03/2017	Untested	Observation Wells	Test Hole	Monitoring	-
7286250	17.7	0	5.5	20/04/2017	FRESH	Water Supply	Commerical	-	N
7286251	10.4	0	3.7	20/04/2017	FRESH	Water Supply	Commerical	-	N
7288859	6.1	0	0	07/06/2017	Untested	Observation Wells	Monitoring	-	-
7288860	6.1	0	0	06/06/2016	Untested	Observation Wells	Monitoring	-	-
7288861	6.1	0	0	06/06/2017	Untested	Observation Wells	Monitoring	-	-
7288884	6.1	0	0	07/06/2017	-	Observation Wells	Monitoring	-	-
7291039	0	0	0	13/07/2017	-	Abandoned-Quality	Not Used	-	-
7296186	0	0	0	26/09/2017	Untested	Abandoned-Other	-	-	-
7299098	74.7	0	4.9	-	-	Water Supply	Domestic	-	-
7299730	3.5	0	0	14/11/2017	-	-	Monitoring	-	-
7302049	74.7	0	7.5	07/12/2017	FRESH	Water Supply	Domestic	-	-
7305909	93	0	24.5	31/01/2018	FRESH	Water Supply	Domestic	-	N
7308811	68.6	0	17.1	16/03/2018	-	Water Supply	Domestic	-	N
7311535	7	0	0	27/03/2018	Untested	Observation Wells	Monitoring	-	-
7311536	13.5	0	0	27/03/2018	Untested	Observation Wells	Monitoring	-	-
7313625	0	0	0	12/06/2018	-	-	-	-	-
7317899	0	0	0	07/08/2018	-	Abandoned-Other	-	-	-
7317900	0	0	0	07/08/2018	-	Abandoned-Other	-	-	-
7317901	0	0	0	07/08/2018	-	Abandoned-Other	-	-	-
7317968	12.2	0	0	24/07/2018	Untested	-	Monitoring	-	-
7318684	74.7	0	4.6	26/03/2018	-	Water Supply	Domestic	-	-
7318704	0	0	0	18/06/2018	-	Abandoned-Quality	Domestic	-	-
7318705	28.3	0	14.6	18/06/2018	FRESH	Water Supply	Domestic	-	-
7318782	17.7	0	11.2	07/08/2018	-	Dewatering	Dewatering	-	N
7318783	8.8	0	5	09/08/2018	FRESH	Dewatering	Dewatering	-	-
7321235	13.1	0	4.4	22/06/2018	Untested	Water Supply	Domestic	-	-
7323629	0	0	0	29/11/2018	-	Abandoned-Supply	Monitoring	-	-
7323630	0	0	0	09/11/2018	-	Abandoned-Supply	Monitoring	-	-
7323631	0	0	0	09/11/2018	-	Abandoned-Supply	Monitoring	-	-
7325512	19.8	0	2.4	16/10/2018	FRESH	Water Supply	Domestic	-	N
7330819	17.4	0	8.8	18/11/2018	FRESH	Water Supply	Domestic	-	N
7330852	13.7	0	0	14/10/2018	-	Monitoring and Test Hole	Monitoring	-	-
7336546	63.4	0	7	24/06/2019	Untested	Water Supply	Domestic	-	N
7339399	68.6	0	5.1	26/07/2019	-	Water Supply	Domestic	-	N
7339892	67.7	0	0.2	-	-	Water Supply	-	-	-
7342649	50	0	2.2	14/09/2019	FRESH	Water Supply	Domestic	-	N
7342650	93	0	15.2	27/08/2019	-	Water Supply	Domestic	-	N
7350008	69.2	0	3	25/09/2019	-	Water Supply	Domestic	-	N
7356318	93.6	0	25.1	17/03/2020	Untested	Water Supply	Domestic	-	-
7356510	74.7	0	4.7	05/12/2019	-	Water Supply	Domestic	-	-
7359578	68.6	0	10.5	05/05/2020	FRESH	Water Supply	Domestic	-	-
7364233	5.1	0	0	30/06/2020	-	Observation Wells	Monitoring	-	-
7368308	69.2	0	2.7	29/01/2020	Untested	Water Supply	Domestic	-	-
7368311	53.9	0	5.8	29/04/2020	-	Water Supply	Domestic	-	-
7368329	0	0	0	06/12/2019	-	Abandoned-Other	Domestic	-	-
7371991	0	0	0	06/10/2020	-	-	-	-	-
7373326	0	0	0	12/11/2020	-	-	-	-	-
7374194	0	0	0	04/11/2020	-	-	-	-	-
7379733	0	0	0	17/12/2020	-	-	-	-	-
7388404	0	0	0	20/03/2021	-	-	-	-	-
7399870	0	0	0	30/09/2021	-	-	-	-	-
7403990	0	0	0	21/09/2021	-	-	-	-	-
7404002	0	0	0	19/08/2021	-	-	-	-	-
7404008	0	0	0	16/06/2021	-	-	-	-	-
7404041	0	0	0	23/09/2021	-	-	-	-	-

Table 6.3-A-2
Summary of Water Well Records within 115 m of the Waasigan Project Footprint and Estimated Dewatering Drawdowns

Well ID	Well Depth	Reported Static Water Level	Available Water Column	Distance of Well from Project Footprint	Estimated Drawdown due to Dewatering	Estimated Static Water Level during Dewatering	Estimated Available Water Column during Dewatering	Reduction in Available Water Column during Dewatering
	(mbgs)	(mbgs)	(m)	(m)	(m)	(mbgs)	(m)	(%)
6104472	64.9	12.2	52.7	0.0	4.5	16.7	48.2	9
3101446	49.1	9.1	40	0.0	4.5	13.6	35.5	11
6105733	59.4	7.3	52.1	0.0	4.5	11.8	47.6	9
6105886	33.2	7.3	25.9	0.0	4.5	11.8	21.4	17
7368311	53.9	5.8	48.1	0.0	4.5	10.3	43.6	9
6105040	45.7	3	42.7	0.0	4.5	7.5	38.2	11
5400614	17.7	2.1	15.6	0.0	4.5	6.6	11.1	29
6101811	36.6	6.7	29.9	1.1	2.8	9.5	27.1	9
7200253	74.7	9.4	65.3	4.1	2.0	11.4	63.3	3
7052838	80.8	2.4	78.4	5.3	1.9	4.3	76.5	2
3102478	49.4	4.6	44.8	5.8	1.9	6.5	42.9	4
3104228	74.7	2.4	72.3	10.7	1.5	3.9	70.8	2
3101578	25.3	4.9	20.4	11.0	1.5	6.4	18.9	7
5401401	43	5.2	37.8	11.8	1.5	6.7	36.3	4
3100236	15.8	6.4	9.4	12.7	1.4	7.8	8.0	15
6101370	99.1	4.3	94.8	17.1	1.3	5.6	93.5	1
6102869	61	3	58	23.3	1.1	4.1	56.9	2
5400609	15.2	2.1	13.1	27.1	1.0	3.1	12.1	8
6100614	21.9	4	17.9	28.1	1.0	5.0	16.9	6
6102928	38.1	9.1	29	30.4	1.0	10.1	28.0	3
3100963	14.3	2.4	11.9	32.6	0.9	3.3	11.0	8
3102176	28	6.1	21.9	35.6	0.9	7.0	21.0	4
6103723	42.7	2.4	40.3	38.7	0.8	3.2	39.5	2
3103569	68.6	14.9	53.7	45.4	0.8	15.7	52.9	1
3103476	50.3	9.8	40.5	45.4	0.8	10.6	39.7	2
3102460	23.8	6.1	17.7	47.3	0.7	6.8	17.0	4
3102834	79.2	5.5	73.7	48.3	0.7	6.2	73.0	1
3102169	8.2	0.9	7.3	48.3	0.7	1.6	6.6	10
6100133	11	1.5	9.5	49.9	0.7	2.2	8.8	7
3101850	50.9	1.2	49.7	52.2	0.7	1.9	49.0	1
3100196	21	5.2	15.8	53.4	0.7	5.9	15.1	4
6100527	37.2	3.7	33.5	54.2	0.7	4.4	32.8	2
6100969	11.6	3.7	7.9	55.6	0.6	4.3	7.3	8
3102180	43.9	9.8	34.1	58.5	0.6	10.4	33.5	2
3103413	76.2	4.6	71.6	58.5	0.6	5.2	71.0	1
3103579	88.4	4.6	83.8	58.5	0.6	5.2	83.2	1
6100537	48.8	10.7	38.1	58.5	0.6	11.3	37.5	2
7113576	44.2	6.1	38.1	61.2	0.6	6.7	37.5	2
6102231	7.6	3	4.6	65.1	0.6	3.6	4.0	12
7240527	76.2	0.9	75.3	65.4	0.6	1.5	74.7	1
3104185	38.4	4	34.4	65.5	0.6	4.6	33.8	2
7356510	74.7	4.7	70	65.7	0.6	5.3	69.4	1
7368308	69.2	2.7	66.5	66.2	0.6	3.3	65.9	1
6101905	48.8	12.2	36.6	72.9	0.5	12.7	36.1	1
3101426	97.5	9.1	88.4	76.1	0.5	9.6	87.9	1
3101892	31.1	2.4	28.7	81.2	0.5	2.9	28.2	2
3101971	39.6	9.1	30.5	82.4	0.5	9.6	30.0	2
6102504	73.2	8.2	65	86.8	0.4	8.6	64.6	1
3100541	60.7	10.7	50	92.1	0.4	11.1	49.6	1
6107371	44.2	3	41.2	92.6	0.4	3.4	40.8	1
6105156	61.6	6.4	55.2	94.8	0.4	6.8	54.8	1

Table 6.3-A-2

Summary of Water Well Records within 115 m of the Waasigan Project Footprint and Estimated Dewatering Drawdowns

Well ID	Well Depth	Reported Static Water Level	Available Water Column	Distance of Well from Project Footprint	Estimated Drawdown due to Dewatering	Estimated Static Water Level during Dewatering	Estimated Available Water Column during Dewatering	Reduction in Available Water Column during Dewatering
3101721	103.6	3	100.6	95.4	0.4	3.4	100.2	0
3101693	30.8	0.9	29.9	95.4	0.4	1.3	29.5	1
6104986	45.1	3.4	41.7	100.2	0.4	3.8	41.3	1
6100929	36.9	6.4	30.5	112.9	0.3	6.7	30.2	1
Wells without recorded static water levels								
3103103	25	-	-	0.0	4.5	-	-	-
5401685	38.1	-	-	0.0	4.5	-	-	-
6104817	38.1	-	-	0.0	4.5	-	-	-
3102237	32	-	-	5.8	1.9	-	-	-
3100233	12.2	-	-	17.8	1.3	-	-	-
6103379	18.3	-	-	40.7	0.8	-	-	-
3102771	25.9	-	-	45.4	0.8	-	-	-
3103568	80.8	-	-	45.4	0.8	-	-	-
7108052	69.2	-	-	56.7	0.6	-	-	-
3101974	8.8	-	-	58.1	0.6	-	-	-
3102733	88.7	-	-	58.5	0.6	-	-	-
3103570	74.7	-	-	58.5	0.6	-	-	-
7151670	31.1	-	-	59.3	0.6	-	-	-
6106375	86	-	-	62.3	0.6	-	-	-
6106257	36.3	-	-	66.3	0.6	-	-	-
3103500	37.2	-	-	69.2	0.5	-	-	-
6102728	48.8	-	-	102.9	0.4	-	-	-