Maxxam
A Bureau Veritas Group Company

Your Project #: 160900764
Your C.O.C. #: 113995

Attention: Report - 160900764

Stantec Consulting Ltd
Clarington
ON
Canada

Report Date: 2018/05/23
Report #: R5166567
Version: 1 - Final

CERTIFICATE OF ANALYSIS

MAXXAM JOB #: B8B5841
Received: 2018/05/16, 13:28

Sample Matrix: Water
Samples Received: 3

Analyses	Quantity	Date Extracted	Date Analyzed	Laboratory Method	Reference
Dissolved Metals by ICPMS	3	N/A	2018/05/22	CAM SOP-00447	EPA 6020B m
Total Metals Analysis by ICPMS	3	N/A	2018/05/22	CAM SOP-00447	EPA 6020B m

Remarks:

Maxxam Analytics' laboratories are accredited to ISO/IEC 17025:2005 for specific parameters on scopes of accreditation. Unless otherwise noted, procedures used by Maxxam are based upon recognized Provincial, Federal or US method compendia such as CCME, MDDELCC, EPA, APHA.

All work recorded herein has been done in accordance with procedures and practices ordinarily exercised by professionals in Maxxam's profession using accepted testing methodologies, quality assurance and quality control procedures (except where otherwise agreed by the client and Maxxam in writing). All data is in statistical control and has met quality control and method performance criteria unless otherwise noted. All method blanks are reported; unless indicated otherwise, associated sample data are not blank corrected.

Maxxam Analytics' liability is limited to the actual cost of the requested analyses, unless otherwise agreed in writing. There is no other warranty expressed or implied. Maxxam has been retained to provide analysis of samples provided by the Client using the testing methodology referenced in this report. Interpretation and use of test results are the sole responsibility of the Client and are not within the scope of services provided by Maxxam, unless otherwise agreed in writing.

Solid sample results, except biota, are based on dry weight unless otherwise indicated. Organic analyses are not recovery corrected except for isotope dilution methods.
Results relate to samples tested.
This Certificate shall not be reproduced except in full, without the written approval of the laboratory.
Reference Method suffix "m" indicates test methods incorporate validated modifications from specific reference methods to improve performance.
* RPDs calculated using raw data. The rounding of final results may result in the apparent difference.

Encryption Key

Deepthi Shaji
Project Manager
23 May 2018 16:32:01

Please direct all questions regarding this Certificate of Analysis to your Project Manager.
Deepthi Shaji, Project Manager
Email: dshaji@maxxam.ca
Phone# (905)817-5700 Ext:5807
==========
Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B8B5841
Report Date: 2018/05/23

Stantec Consulting Ltd
Client Project #: 160900764
Sampler Initials: RD

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Maxxam ID		GSF384	GSF385	GSF386		
Sampling Date		2018/05/16 10:48	2018/05/16 11:09	2018/05/16 11:29		
COC Number		113995	113995	113995		
	UNITS	**WG-160900764-20180516-RD01**	**WG-160900764-20180516-RD02**	**WG-160900764-20180516-RD03**	**RDL**	**QC Batch**
Metals						
Dissolved Aluminum (Al)	mg/L	<0.0050	<0.0050	<0.0050	0.0050	5538142
Total Aluminum (Al)	mg/L	0.12	0.033	0.099	0.0050	5541083
Dissolved Antimony (Sb)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5538142
Total Antimony (Sb)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5541083
Dissolved Arsenic (As)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	5538142
Total Arsenic (As)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	5541083
Dissolved Barium (Ba)	mg/L	0.040	0.050	0.056	0.0020	5538142
Total Barium (Ba)	mg/L	0.039	0.048	0.055	0.0020	5541083
Dissolved Beryllium (Be)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5538142
Total Beryllium (Be)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5541083
Dissolved Boron (B)	mg/L	0.089	0.31	0.062	0.010	5538142
Total Boron (B)	mg/L	0.098	0.33	0.066	0.010	5541083
Dissolved Cadmium (Cd)	mg/L	<0.00010	<0.00010	<0.00010	0.00010	5538142
Total Cadmium (Cd)	mg/L	<0.00010	<0.00010	<0.00010	0.00010	5541083
Dissolved Calcium (Ca)	mg/L	110	93	110	0.20	5538142
Total Calcium (Ca)	mg/L	110	91	110	0.20	5541083
Dissolved Chromium (Cr)	mg/L	<0.0050	<0.0050	<0.0050	0.0050	5538142
Total Chromium (Cr)	mg/L	<0.0050	<0.0050	<0.0050	0.0050	5541083
Dissolved Cobalt (Co)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5538142
Total Cobalt (Co)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5541083
Dissolved Copper (Cu)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	5538142
Total Copper (Cu)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	5541083
Dissolved Iron (Fe)	mg/L	<0.10	<0.10	<0.10	0.10	5538142
Total Iron (Fe)	mg/L	0.17	<0.10	0.11	0.10	5541083
Dissolved Lead (Pb)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5538142
Total Lead (Pb)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5541083
Dissolved Magnesium (Mg)	mg/L	9.4	14	11	0.050	5538142
Total Magnesium (Mg)	mg/L	10	14	11	0.050	5541083
Dissolved Manganese (Mn)	mg/L	0.043	0.0050	<0.0020	0.0020	5538142
Total Manganese (Mn)	mg/L	0.051	0.0096	0.0051	0.0020	5541083
Dissolved Molybdenum (Mo)	mg/L	0.00054	0.0017	0.00059	0.00050	5538142

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B8B5841
Report Date: 2018/05/23

Stantec Consulting Ltd
Client Project #: 160900764
Sampler Initials: RD

ELEMENTS BY ATOMIC SPECTROSCOPY (WATER)

Maxxam ID		GSF384	GSF385	GSF386		
Sampling Date		2018/05/16 10:48	2018/05/16 11:09	2018/05/16 11:29		
COC Number		113995	113995	113995		
	UNITS	**WG-160900764-20180516-RD01**	**WG-160900764-20180516-RD02**	**WG-160900764-20180516-RD03**	**RDL**	**QC Batch**
Total Molybdenum (Mo)	mg/L	0.00054	0.0016	0.00055	0.00050	5541083
Dissolved Nickel (Ni)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	5538142
Total Nickel (Ni)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	5541083
Dissolved Phosphorus (P)	mg/L	<0.10	<0.10	<0.10	0.10	5538142
Total Phosphorus (P)	mg/L	<0.10	<0.10	<0.10	0.10	5541083
Dissolved Potassium (K)	mg/L	2.5	5.7	2.6	0.20	5538142
Total Potassium (K)	mg/L	2.5	5.9	2.5	0.20	5541083
Dissolved Selenium (Se)	mg/L	<0.0020	<0.0020	<0.0020	0.0020	5538142
Total Selenium (Se)	mg/L	<0.0020	<0.0020	<0.0020	0.0020	5541083
Dissolved Silicon (Si)	mg/L	3.3	2.5	3.7	0.050	5538142
Total Silicon (Si)	mg/L	3.5	2.5	3.7	0.050	5541083
Dissolved Silver (Ag)	mg/L	<0.00010	<0.00010	<0.00010	0.00010	5538142
Total Silver (Ag)	mg/L	<0.00010	<0.00010	<0.00010	0.00010	5541083
Dissolved Sodium (Na)	mg/L	8.2	14	9.9	0.10	5538142
Total Sodium (Na)	mg/L	8.8	15	10	0.10	5541083
Dissolved Strontium (Sr)	mg/L	0.67	1.8	0.52	0.0010	5538142
Total Strontium (Sr)	mg/L	0.69	1.8	0.52	0.0010	5541083
Dissolved Thallium (Tl)	mg/L	<0.000050	<0.000050	<0.000050	0.000050	5538142
Total Thallium (Tl)	mg/L	<0.000050	<0.000050	<0.000050	0.000050	5541083
Dissolved Titanium (Ti)	mg/L	<0.0050	<0.0050	<0.0050	0.0050	5538142
Total Titanium (Ti)	mg/L	0.0085	<0.0050	0.011	0.0050	5541083
Dissolved Uranium (U)	mg/L	0.00061	0.00080	0.00069	0.00010	5538142
Total Uranium (U)	mg/L	0.00064	0.00085	0.00071	0.00010	5541083
Dissolved Vanadium (V)	mg/L	<0.00050	<0.00050	<0.00050	0.00050	5538142
Total Vanadium (V)	mg/L	0.00064	<0.00050	0.00069	0.00050	5541083
Dissolved Zinc (Zn)	mg/L	<0.0050	0.0073	<0.0050	0.0050	5538142
Total Zinc (Zn)	mg/L	<0.0050	<0.0050	<0.0050	0.0050	5541083
Dissolved Zirconium (Zr)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	5538142
Total Zirconium (Zr)	mg/L	<0.0010	<0.0010	<0.0010	0.0010	5541083

RDL = Reportable Detection Limit
QC Batch = Quality Control Batch

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B8B5841
Report Date: 2018/05/23

Stantec Consulting Ltd
Client Project #: 160900764
Sampler Initials: RD

TEST SUMMARY

Maxxam ID: GSF384
Sample ID: WG-160900764-20180516-RD01
Matrix: Water

Collected: 2018/05/16
Shipped:
Received: 2018/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Dissolved Metals by ICPMS	ICP/MS	5538142	N/A	2018/05/22	Matthew Ritenburg
Total Metals Analysis by ICPMS	ICP/MS	5541083	N/A	2018/05/22	Arefa Dabhad

Maxxam ID: GSF385
Sample ID: WG-160900764-20180516-RD02
Matrix: Water

Collected: 2018/05/16
Shipped:
Received: 2018/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Dissolved Metals by ICPMS	ICP/MS	5538142	N/A	2018/05/22	Matthew Ritenburg
Total Metals Analysis by ICPMS	ICP/MS	5541083	N/A	2018/05/22	Arefa Dabhad

Maxxam ID: GSF386
Sample ID: WG-160900764-20180516-RD03
Matrix: Water

Collected: 2018/05/16
Shipped:
Received: 2018/05/16

Test Description	Instrumentation	Batch	Extracted	Date Analyzed	Analyst
Dissolved Metals by ICPMS	ICP/MS	5538142	N/A	2018/05/22	Matthew Ritenburg
Total Metals Analysis by ICPMS	ICP/MS	5541083	N/A	2018/05/22	Arefa Dabhad

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B8B5841
Report Date: 2018/05/23

Stantec Consulting Ltd
Client Project #: 160900764
Sampler Initials: RD

GENERAL COMMENTS

Each temperature is the average of up to three cooler temperatures taken at receipt

Package 1	7.0°C

Results relate only to the items tested.

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam
A Bureau Veritas Group Company

Maxxam Job #: B8B5841
Report Date: 2018/05/23

QUALITY ASSURANCE REPORT

Stantec Consulting Ltd
Client Project #: 160900764
Sampler Initials: RD

			Matrix Spike		SPIKED BLANK		Method Blank		RPD	
QC Batch	Parameter	Date	% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits
5538142	Dissolved Aluminum (Al)	2018/05/22	107	80 - 120	98	80 - 120	<0.0050	mg/L		
5538142	Dissolved Antimony (Sb)	2018/05/22	115	80 - 120	107	80 - 120	<0.00050	mg/L		
5538142	Dissolved Arsenic (As)	2018/05/22	106	80 - 120	96	80 - 120	<0.0010	mg/L		
5538142	Dissolved Barium (Ba)	2018/05/22	NC	80 - 120	105	80 - 120	<0.0020	mg/L		
5538142	Dissolved Beryllium (Be)	2018/05/22	106	80 - 120	103	80 - 120	<0.00050	mg/L		
5538142	Dissolved Boron (B)	2018/05/22	104	80 - 120	100	80 - 120	<0.010	mg/L		
5538142	Dissolved Cadmium (Cd)	2018/05/22	108	80 - 120	102	80 - 120	<0.00010	mg/L		
5538142	Dissolved Calcium (Ca)	2018/05/22	NC	80 - 120	101	80 - 120	<0.20	mg/L		
5538142	Dissolved Chromium (Cr)	2018/05/22	100	80 - 120	94	80 - 120	<0.0050	mg/L		
5538142	Dissolved Cobalt (Co)	2018/05/22	100	80 - 120	93	80 - 120	<0.00050	mg/L		
5538142	Dissolved Copper (Cu)	2018/05/22	104	80 - 120	100	80 - 120	<0.0010	mg/L		
5538142	Dissolved Iron (Fe)	2018/05/22	104	80 - 120	98	80 - 120	<0.10	mg/L		
5538142	Dissolved Lead (Pb)	2018/05/22	100	80 - 120	94	80 - 120	<0.00050	mg/L	2.4	20
5538142	Dissolved Magnesium (Mg)	2018/05/22	NC	80 - 120	99	80 - 120	<0.050	mg/L		
5538142	Dissolved Manganese (Mn)	2018/05/22	NC	80 - 120	96	80 - 120	<0.0020	mg/L		
5538142	Dissolved Molybdenum (Mo)	2018/05/22	110	80 - 120	102	80 - 120	<0.00050	mg/L		
5538142	Dissolved Nickel (Ni)	2018/05/22	98	80 - 120	91	80 - 120	<0.0010	mg/L		
5538142	Dissolved Phosphorus (P)	2018/05/22	119	80 - 120	109	80 - 120	<0.10	mg/L		
5538142	Dissolved Potassium (K)	2018/05/22	109	80 - 120	101	80 - 120	<0.20	mg/L		
5538142	Dissolved Selenium (Se)	2018/05/22	102	80 - 120	97	80 - 120	<0.0020	mg/L		
5538142	Dissolved Silicon (Si)	2018/05/22	111	80 - 120	97	80 - 120	<0.050	mg/L		
5538142	Dissolved Silver (Ag)	2018/05/22	89	80 - 120	102	80 - 120	<0.00010	mg/L		
5538142	Dissolved Sodium (Na)	2018/05/22	NC	80 - 120	100	80 - 120	<0.10	mg/L		
5538142	Dissolved Strontium (Sr)	2018/05/22	NC	80 - 120	97	80 - 120	<0.0010	mg/L		
5538142	Dissolved Thallium (Tl)	2018/05/22	100	80 - 120	92	80 - 120	<0.000050	mg/L		
5538142	Dissolved Titanium (Ti)	2018/05/22	108	80 - 120	98	80 - 120	<0.0050	mg/L		
5538142	Dissolved Uranium (U)	2018/05/22	102	80 - 120	93	80 - 120	<0.00010	mg/L		
5538142	Dissolved Vanadium (V)	2018/05/22	104	80 - 120	93	80 - 120	<0.00050	mg/L		
5538142	Dissolved Zinc (Zn)	2018/05/22	101	80 - 120	94	80 - 120	<0.0050	mg/L		
5538142	Dissolved Zirconium (Zr)	2018/05/22	113	80 - 120	107	80 - 120	<0.0010	mg/L		
5541083	Total Aluminum (Al)	2018/05/22	98	80 - 120	101	80 - 120	<0.0050	mg/L	NC	20

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam
A Bureau Veritas Group Company

Maxxam Job #: B8B5841
Report Date: 2018/05/23

QUALITY ASSURANCE REPORT(CONT'D)

Stantec Consulting Ltd
Client Project #: 160900764
Sampler Initials: RD

			Matrix Spike		SPIKED BLANK		Method Blank		RPD	
QC Batch	Parameter	Date	% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits
5541083	Total Antimony (Sb)	2018/05/22	93	80 - 120	97	80 - 120	<0.00050	mg/L	NC	20
5541083	Total Arsenic (As)	2018/05/22	99	80 - 120	103	80 - 120	<0.0010	mg/L	NC	20
5541083	Total Barium (Ba)	2018/05/22	89	80 - 120	95	80 - 120	<0.0020	mg/L	NC	20
5541083	Total Beryllium (Be)	2018/05/22	94	80 - 120	97	80 - 120	<0.00050	mg/L	NC	20
5541083	Total Boron (B)	2018/05/22	92	80 - 120	95	80 - 120	<0.010	mg/L	NC	20
5541083	Total Cadmium (Cd)	2018/05/22	93	80 - 120	98	80 - 120	<0.00010	mg/L	NC	20
5541083	Total Calcium (Ca)	2018/05/22	96	80 - 120	99	80 - 120	<0.20	mg/L	NC	20
5541083	Total Chromium (Cr)	2018/05/22	95	80 - 120	101	80 - 120	<0.0050	mg/L	NC	20
5541083	Total Cobalt (Co)	2018/05/22	98	80 - 120	101	80 - 120	<0.00050	mg/L	NC	20
5541083	Total Copper (Cu)	2018/05/22	98	80 - 120	104	80 - 120	<0.0010	mg/L	NC	20
5541083	Total Iron (Fe)	2018/05/22	98	80 - 120	102	80 - 120	<0.10	mg/L	NC	20
5541083	Total Lead (Pb)	2018/05/22	94	80 - 120	100	80 - 120	<0.00050	mg/L	NC	20
5541083	Total Magnesium (Mg)	2018/05/22	97	80 - 120	101	80 - 120	<0.050	mg/L	NC	20
5541083	Total Manganese (Mn)	2018/05/22	92	80 - 120	95	80 - 120	<0.0020	mg/L	NC	20
5541083	Total Molybdenum (Mo)	2018/05/22	100	80 - 120	104	80 - 120	<0.00050	mg/L	NC	20
5541083	Total Nickel (Ni)	2018/05/22	95	80 - 120	99	80 - 120	<0.0010	mg/L	NC	20
5541083	Total Phosphorus (P)	2018/05/22	89	80 - 120	104	80 - 120	<0.10	mg/L		
5541083	Total Potassium (K)	2018/05/22	95	80 - 120	99	80 - 120	<0.20	mg/L	NC	20
5541083	Total Selenium (Se)	2018/05/22	106	80 - 120	108	80 - 120	<0.0020	mg/L	NC	20
5541083	Total Silicon (Si)	2018/05/22	98	80 - 120	99	80 - 120	<0.050	mg/L	NC	20
5541083	Total Silver (Ag)	2018/05/22	92	80 - 120	97	80 - 120	<0.00010	mg/L	NC	20
5541083	Total Sodium (Na)	2018/05/22	96	80 - 120	100	80 - 120	<0.10	mg/L	NC	20
5541083	Total Strontium (Sr)	2018/05/22	96	80 - 120	100	80 - 120	<0.0010	mg/L	NC	20
5541083	Total Thallium (Tl)	2018/05/22	94	80 - 120	100	80 - 120	<0.000050	mg/L	NC	20
5541083	Total Titanium (Ti)	2018/05/22	95	80 - 120	99	80 - 120	<0.0050	mg/L	NC	20
5541083	Total Uranium (U)	2018/05/22	100	80 - 120	102	80 - 120	<0.00010	mg/L	NC	20
5541083	Total Vanadium (V)	2018/05/22	96	80 - 120	102	80 - 120	<0.00050	mg/L	NC	20
5541083	Total Zinc (Zn)	2018/05/22	101	80 - 120	107	80 - 120	<0.0050	mg/L	NC	20

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B8B5841
Report Date: 2018/05/23

QUALITY ASSURANCE REPORT(CONT'D)

Stantec Consulting Ltd
Client Project #: 160900764
Sampler Initials: RD

			Matrix Spike		SPIKED BLANK		Method Blank		RPD	
QC Batch	Parameter	Date	% Recovery	QC Limits	% Recovery	QC Limits	Value	UNITS	Value (%)	QC Limits
5541083	Total Zirconium (Zr)	2018/05/22	96	80 - 120	102	80 - 120	<0.0010	mg/L		

Duplicate: Paired analysis of a separate portion of the same sample. Used to evaluate the variance in the measurement.

Matrix Spike: A sample to which a known amount of the analyte of interest has been added. Used to evaluate sample matrix interference.

Spiked Blank: A blank matrix sample to which a known amount of the analyte, usually from a second source, has been added. Used to evaluate method accuracy.

Method Blank: A blank matrix containing all reagents used in the analytical procedure. Used to identify laboratory contamination.

NC (Matrix Spike): The recovery in the matrix spike was not calculated. The relative difference between the concentration in the parent sample and the spike amount was too small to permit a reliable recovery calculation (matrix spike concentration was less than the native sample concentration)

NC (Duplicate RPD): The duplicate RPD was not calculated. The concentration in the sample and/or duplicate was too low to permit a reliable RPD calculation (absolute difference <= 2x RDL).

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

Maxxam Job #: B8B5841
Report Date: 2018/05/23

Stantec Consulting Ltd
Client Project #: 160900764
Sampler Initials: RD

VALIDATION SIGNATURE PAGE

The analytical data and all QC contained in this report were reviewed and validated by the following individual(s).

Cristina Carriere

Cristina Carriere, Scientific Service Specialist

Maxxam has procedures in place to guard against improper use of the electronic signature and have the required "signatories", as per section 5.10.2 of ISO/IEC 17025:2005(E), signing the reports. For Service Group specific validation please refer to the Validation Signature Page.

Maxxam Analytics International Corporation o/a Maxxam Analytics 6740 Campobello Road, Mississauga, Ontario, L5N 2L8 Tel: (905) 817-5700 Toll-Free: 800-563-6266 Fax: (905) 817-5777 www.maxxam.ca

IMMEDIATE

Maxxam
A Bureau Veritas Group Company

6740 Campobello Road, Mississauga, Ontario L5N 2L8
Phone: 905-817-5700 Fax: 905-817-5779 Toll Free: 800-563-6266
CAM FCD-01191/3

CHAIN OF CUSTODY RECORD 113995

Page 1 of 1

Invoice Information		Report Information (if differs from invoice)		Project Information (where applicable)		Turnaround Time (TAT) Required
Company Name:	9197 Stantec Consulting	Company Name:	#18379 stantec	Quotation #:	B48218	[X] Regular TAT (5-7 days) Most analyses
Contact Name:	Accounts Payable	Contact Name:		P.O. #/ AFE#:		PLEASE PROVIDE ADVANCE NOTICE FOR RUSH PROJECTS
Address:	300 Hagey	Address:		Project #:	160900764	Rush TAT (Surcharges will be applied)
				Site Location:		[ ] 1 Day [ ] 2 Days [ ] 3-4 Days
Phone:	Fax:	Phone:	aaron.wartentin@stantec.com	Site #:		
Email:	accounts.payable.invoices@stantec.com	Email:	jamie.koch@stantec.com	Sampled By:	R. Dong	Date Required:

MOE REGULATED DRINKING WATER OR WATER INTENDED FOR HUMAN CONSUMPTION MUST BE SUBMITTED ON THE MAXXAM DRINKING WATER CHAIN OF CUSTODY

Rush Confirmation #:

Regulation 153	Other Regulations
[ ] Table 1 [ ] Res/Park [ ] Med/ Fine	[ ] CCME [ ] Sanitary Sewer Bylaw
[ ] Table 2 [ ] Ind/Comm [ ] Coarse	[ ] MISA [ ] Storm Sewer Bylaw
[ ] Table 3 [ ] Agri/ Other	[X] PWQO Region
[ ] Table ____	[ ] Other (Specify)
FOR RSC (PLEASE CIRCLE) Y / N	[ ] REG 558 (MIN. 3 DAY TAT REQUIRED)

Include Criteria on Certificate of Analysis: Y / N

SAMPLES MUST BE KEPT COOL (< 10 °C) FROM TIME OF SAMPLING UNTIL DELIVERY TO MAXXAM

Analysis Requested

	SAMPLE IDENTIFICATION	DATE SAMPLED (YYYY/MM/DD)	TIME SAMPLED (HH:MM)	MATRIX	# OF CONTAINERS SUBMITTED	FIELD FILTERED (CIRCLE) Metals / Hg / CrVI	BTEX/ PHC F1	PHCs F2 - F4	VOCs	REG 153 METALS & INORGANICS	REG 153 ICPMS METALS	REG 153 METALS (Hg, Cr VI, ICPMS Metals, HWS - B)	Metals - dissolved	Metals - total							HOLD- DO NOT ANALYZE
1	Wt-160900764-20180516-RD01	2018/05/16	10:48	SW	2	Y							X	X							
2	-RD02	↓	11:09	SW	2	Y							X	X							
3	-RD03	↓	11:29	SW	2	Y							X	X							
4																					
5																					
6																					
7																					
8																					
9																					
10																					

LABORATORY USE ONLY

CUSTODY SEAL Y / N		COOLER TEMPERATURES
Present	Intact	
Y	Y	6/18°C

COOLING MEDIA PRESENT: (Y) / N

COMMENTS

Analyze ~~dissolved~~ total according to quote
~~Total Hg~~ dissolved is additional analysis

RELINQUISHED BY: (Signature/Print)	DATE: (YYYY/MM/DD)	TIME: (HH:MM)	RECEIVED BY: (Signature/Print)	DATE: (YYYY/MM/DD)	TIME: (HH:MM)
[signature]	2018/05/16	1324	[signature]	20180516	1312

16-May-18 13:28
Augustyna Dobosz
B8B5841
MAF ENV-577

Unless otherwise agreed to in writing, work submitted on this Chain of Custody is subject to Maxxam's standard Terms and Conditions. Signing of this Chain of Custody document is acknowledgment and acceptance of our terms which are available for viewing at www.maxxam.ca/terms. Sample container, preservation, hold time and packages information can be viewed at http://maxxam.ca/wp-content/uploads/Ontario-COC.pdf.

COC-1004 (03/17) White: Maxxam ~ Yellow: Client